

zWiFi-PowerBank-4K

- WiFi Hidden Cam
- Wiress charger
- Power bank





Diagram



The Indicator Lights:

- The orange lights indicate battery power status (It will keep on 10 seconds while the camera is powered ON/OFF every time, one light means 25% power remain).
- The red light indicates continuous recording mode.
- •The blue light indicates WiFi mode(Camera was connected to WiFi)

Reset Function: If you can't connect to Wifi, you need to press the reset button to reset (Click button for 10 seconds) device and then turn on the "Phone Setting" to connect hotspot. (Device Reset Successful: blue light is always slowly flashes)

Continuous Recording Mode:

This power bank camera support recording without a WiFi, just insert a Micro SD card (Up to 128GB) and power on the device, then slide the V/WF button on V position, the blue light will flash 10 seconds and goes off, the camera will start recording and saved on the SD card; If the blue light always stay on, the camera not start recording, please check that if the SD card missed or it's full.

Wi-Fi Remotely Mode:

If you want to view the camera while you're away, please download the App and connect your camera to WiFi as following steps, if the camera connected to wifi successfully, the blue light is always stay on.

1. Download and Install the APP.

For iOS Devices:

- a. Scan below QR Code for iOS operating system to download and install "Lookcam" APP with iPhone or iPad devices.
- b. Search "Lookcam" in App Store with your iOS devices, download and install APP.

For Android Devices:

- a. Scan below QR Code for Android operating system to download and install "Lookcam" APP with Mobile or tablet devices.
- b. Search "Lookcam" in Google Play with your iOS devices, download and install APP.



Important Tips:

For the first time use, please press the Reset button about 10 Seconds to restore the factory settings before camera setup and use. (Device Reset Successed: Blue light is flashing slowly, it means that the camera is waiting for wifi connection).

2. Camera Setup and Wi-Fi Connection.

A. Open the **WIFI SETTINGS** of your phone -->Click on LAN --> Choose and connect the name of hotspot signal named as: FXXXXXXXX (It was generated by the camera)

8:27		::!! ? 🕒
Settings	WLAN	
WLAN		
V F074168NFCV Unsecured Networ	/L k	≈ (i)
MY NETWORKS		
ChinaNet-686	54	🔒 🤶 🚺
OTHER NETWORKS		
301		🔒 🗢 🚺
609		🔒 🤶 🚺
aochun		🔒 🗢 🚺
ChinaNet-686	64-5G	🔒 🗢 i
ChinaNet-gSj	Y	🔒 🗢 🚺
ChinaNet-NQ	ej	🔒 🗢 🚺
ChinaNet-PNj	с	হ 🚺
ChinaNet-x5i	-	🔒 🗢 🚺
ChinaNet-z4X	ст	€ ? (i)
D-D603		∎ ? (i)
MERCURY_9B	22	₽ ? (i)
-		-

- B. After the connection is successful, go back to the APP
- C. You can see the device is successfully added and online in the app



Important Note at this Step:

If you can not find the camera's hot-spot signal in your phone, you have to reboot the device by press the RESET-key for about 8S until the indicator lights shut off, then the device will be restart and the hot-spot signal will come up again in a few seconds, then you're able to connect the hot-spot and config the wifi connection.

When this step was done, you're able to watch video when you're nearby the device. If you want to access live streaming video remotely, it need to set up the camera connected to router's WIFI on next steps.

D. Click the setting button, choose the "**Device Setting**" to select your router's WIFI, input your WIFI password, then click ok to connect WIFI.

6:11		::!! ? 🕞	5:44	::!! ? 🕞
r	My Device	(+)	My Device	+
F074168NFC Device Onli F151904KXE Device Offl	CVL 1 ne 2 EDL DL ine	¢	F074168NFCVL F074168NFCVL Device Online F151904KXEDL F151904KXEDL Connecting	1 🔿
			E07/168NECVI	
			Edit Device	
			Delete Device	
			Reconnect Device	
			2 Device Setting	
Q Interview	Files	(!) More	Device QRCode	
Photo	FIIUS	MOLE	Cancel	

5:	44 ::!! •	? 📄	6:	56						:	III	(•)
<	Device Setting		<			,	WiFi S	etting	g			
F074	1168NFCVL		Conne	ected	WiFi							
Ö	Alarm Config	>								No	t conr	nect
P	Modify Device Password	>	SSID	list 60		Wil	2 I conr	nect V	ViFi	_	٦	>
	SD Card Setting	>	((:-	Cr	1	(ChinaNe	et-686	4			>
÷Ö-	IR-LED Config	>	(i• (li•	RE	С	ance	I		OK			>
(((-	WiFi Setting 1	>	(((-	D603	3							>
()	Reboot Device	>	(((- (((-	D603 Chin	3-2 aNet-	x5iF						>
ବ୍ର	Reset Factory	>	(((-	QJK.	J							>
ලි	Firmware Version Jan 25 2021 16:32	:48 >	T	1	{	}	#	%	•	*	+	=
ବ୍ର	Delete Device	>		-		1	~	«	<u>»</u>	\$	&	$\overline{\cdot}$
			123			,	^^	?	!		<u> </u>	$\langle \times \rangle$
			拼音				空	格			换征	Ţ
)		_					ļ	<u>Q</u>

E. Waiting for the device reboot until the camera goes online, the blue light will always stay on and then you can access live video and monitor your home anytime from anywhere by your phone.

6:	57	::!! 🗢 🔛	7:00		::!! 🍣 🗗
<	WiFi Setting		<	Video	
Conn	ected WiFi		* •	● : ≜	1080P
		Not connect			
SSID	list				
(((-	609	>			
((•	ChinaNet-gSjY	>			
(((-	RBF	>			
((:-	HUAWE	>			
(((-	De Tip	>			1
((-	De Saved, device will reboot	>		GR P	
(((-	СК	>		2	1
((:-	QJKJ	>		4	50
((t-	ChinaNet-mvPh			2 July	
((•	ChinaNet-PNjC	>			
((•	ChinaNet-6864	>			
((•	ChinaNet-szyq				
((•	FT-CAMERA	>			
((•	CMCC-Z3CC_Wi-Fi5		Voice	Take Manual Deaker Photo Record	Rotation
(((-	趣鸟科技			ā, <mark>o r</mark>	
	D-D603				

F. If your device can't connect with your router, please make sure your WIFI password don't include any special character, then re-connect WIFI again.

		6:59		::!! 🍣 💽
		<	Config Wi-Fi	
6:59	::!! 🗢 🗗			
My Device	(+)	Enter V	Vi-Fi Passwo	rd
F074168NFCVL F074168NFCVL	1 🔘	Only support	2.4GHz Wi-Fi network	
F151904KXEDL	ö			
Device Offline	~			
	_			
F074168NFCVL				
Edit Device		🔶 ChinaN	et-6864	Change
Delete Device			3	
Reconnect Device		Enter	WiFi Password	
Config Wi-Fi	2			
Device QRCode			Next sten	
<u> </u>			Next step	
Cancel				

3. Alarm Setting.

Open the motion detection sensitivity and select the mode you want for warning mode. Alarm Schedule (Start Time)-(End Time), Warming tone. Alarm Interval (30-240 Second), Push Notifications, On-Screen Display.

5:	44 ::!! रू	<mark>.</mark> ,	5:53	ıll 🗢 🕞
<	Device Setting		< Alarm Config	
F074	168NFCVL		Motion Detection Sensitivity 1	Close >
Ö	Alarm Config	>		
			Alarm Schedule	
P	Modify Device Password	>	Start Time 3 Set alarm time duration	00:00 >
	SD Card Setting	>	End Time	15:00 >
	IP-LED Config	>	Warning Tone	\mathbf{O}
U			Alarm Interval	30
((1-	WiFi Setting	>	302	40 Second
()	Reboot Device	>	Push Notifications	
			On-Screen Display	
(ଦ୍ ର ି	Reset Factory	>	Motion Detection Sensitivity	
ବ୍ର	Firmware Version Jan 25 2021 16:32:48	3 >	Close	
ക	Delete Device	>	Low	
~			2 Choose the mode you want Medium	
			High	
			Cancel	

5:51		
< A	arm Config	
Motion Detection Sen	sitivity	Close
Alarm Schedule		
Start Time		00:00
End Time		15:00
Warning Tone		0
Alarm Interval		3
On-Screen Display ^{No}	tification from Al	^{>p}
	OK 5 Click to	
		o save

4. Micro SD Card Format

This device support max 128GB TF Card(not included),after insert memory card, you can format TF card through APP before using

SD Card Setting Auto Record Alarm Record Record Resolution Record Audio Loop Record Video Duration S Minute > Total Space Format sdcard successfully Format sdcard 1	SD Card Setting Auto Record Alarm Record Record Resolution Record Audio Coop Record Video Duration 5 Minute Total Space Format sdcard 1	5:47		::!! ? 🕞
Auto Record Image: Constant of the second secon	Auto Record Alarm Record Record Resolution HD > Record Audio Coop Record Coop R	<	SD Card Setting	
Alarm Record Alarm Record Record Resolution Record Audio Loop Record Loop Record Video Duration 5 Minute > Total Space Format sdcard successfully Free Space Format sdcard 1	Alarm Record Record Resolution HD Record Audio Loop Record Video Duration 5 Minute Y Total Space Format sdcard successfully Free Space Format sdcard Y	Auto Record		
Record Resolution HD > Record Audio Image: Complexity of the second sec	Record Resolution HD > Record Audio Image: Constraint of the second of	Alarm Record		0
Record Audio Loop Record Video Duration 2 Total Space Format sdcard successfully Free Space Format sdcard 1	Record Audio Loop Record Video Duration 5 Minute > Total Space Format sdcard successfully Record 1	Record Resoluti	on	HD >
Loop Record Video Duration 5 Minute > 2 Total Space Format sdcard successfully Free Space 2863 MB Format sdcard 1 >	Loop Record Video Duration 5 Minute > Total Space Format sdcard successfully 7611 MB 2863 MB Format sdcard 1 >	Record Audio		
Video Duration 5 Minute > 2 Total Space Format sdcard successfully Free Space 2 2863 MB Format sdcard 1	Video Duration 5 Minute > 2 Total Space Format sdcard successfully Free Space 2 Format sdcard 1 >	Loop Record		
2 Total Space Format sdcard successfully Free Space 2863 MB Format sdcard 1	Total Space 7611 MB Free Space 2863 MB	Video Duration		5 Minute >
Format sdcard 1	Format sdcard 1	Total Space Free Space	Format sdcard successfully	2863 MB
		Format sdcard	1	>

5. TF Card Recording Setting.

Click the Setting -->Device Setting, then select to make SD Card Setting. There are three mode for **video recording**:

- 1) Auto Record: all day record when you open the "Auto Record" button
- 2) Alarm Record: motion detection recording, please go to "Alarm Config" for setting
- 3) Loop Record: when TF card is full, it will automatically overwrite the recording file to continue video recording and storage on TF card
- 4) Record Audio: Turn On/OFF to record demo with audio/without audio
- 5) Record Resolution: The factory default is HD
- 6) Video Duration: 1 minute/ 3 minute/ 5 minute can be optional

6. Video Playback.

Find "Files" in APP—Click video file(mp4 format) to Playback video on TF Card

6:11		;;;! 奈 🕞
Edit	Files	2 🝸
F074168NFC	/L	E151904KXEDI
LOOK CAN	20210415-174754.mp4 8.8 MB Ready to donwlo 2021-04-15 17:47:54	F074168NFCVL
CON CAM	20210415-175254.mp4 7.5 MB Ready to donwloa 2021-04-15 17:52:54	ad
	20210415-175755.mp4 7.4 MB Ready to donwloa 2021-04-15 17:57:55	ad
LOOK CAM	20210415-180255.mp4 8.1 MB Ready to donwloa 2021-04-15 18:02:55	ad
	1	
© Video	Photo Files	a (!) More

7. Manual Recording.

1) Click manual recording button on APP, it will save video file on your phone



2) Where to playback manual video recording file.



3) How to share/delete your manual recording video file.



8. Battery Charging and Wireless Charing Functions.

(1) Charge the power bank camera: Connect the power bank by Micro USB cable.
 After the power is connected, the orange lights will blink in sequence. After the battery is fully charged, all the 4 orange lights will stay on and will not blink anymore.
 (2) USB charging for mobile phone: USB charging for any mobile devices by the USB power cord.

(3) Wireless charging for mobile phone: This device has builti-in a 10000mAh Li-on battery support wireless charging function; (Wireless charging support Samsung Galaxy S20 / S10 / S9+ / S9 / S8 / S8+ / S7 edge / S7 / S6 edge+, Samsung Note 10 / Note 9 / Note 8 / Note 7; and iPhone SE (2020) / 11/ 11 Pro / 11 Pro Max / XS Max / XR / XS / X / 8 / 8 Plus)

10.Related Parameters.

Resolution Ratio	1080P/30fps
Video Format	AVI
Connection Type	WiFi (2.4G only)
Visual Angle	90 degree
Minimal Illumination	1LUX
Compressed Format	H.264
Night Vision Distance	5-8 meter
Recording Range	20 m ²
Battery Capacity	10000 mAh
Charging Time	10 hours
USB/Wireless charging output	5V/2A
Memory Card Type	TF card
Maximum Storage	Up to 128G
Mobile Phone Operating System	Android/iOS

11.Frequently Questions & Answers

What micro SD card is required for recording? The camera supports up to 128GB micro SD card. Please use high speed class 10 FAT formatted memory card.

Why can't i use my micro SD Card for recording? You must format the micro SD before using. If SD card is not recognized when inserted into camera just remove and re-insert.

Why can't the camera go online?1.The camera is far away from your router.2.Check if your router is working properly or not .3.Weak WiFi signal4.Wrong password while WiFi setting.

Why is remote monitoring not smooth ? You should choose a suitable resolution to watch according to your internet speed.

when I forgot my password ?

Press the RESET button 5 seconds and restore the factory setting, they the password is recover to intial password: **123456**, and you can set your own passwords to ensure the security of your camera.

If the camera stop working or offline at any situation, please restart the device by clicking the reset button 5-8 seconds until the blue lights flash slowly, then have to connect your phone to the hot-spot(FXXXXX) and complete the whole WiFi configuration again.